

SAFETY DATA SHEET

5408 CHINA CLAY - GROLLEG

1. Identification of substance/preparation and of the company undertaking

Trade Name: Ballclays and China clays in powder form

Chemical name Mixture of chemicals

Synonyms None

2. Composition /information on ingredients

Component CAS EINECS % of composition

Mixture of chemicals

Hazardous only as an unspecified nuisance dust

3. Hazards Identification

InhalationExcessive exposure may cause symptoms of chronic lung diseaseIngestionThe product is of low solubility in body fluids and it is likely to be of low

acute toxicity

Eyes May cause physical irritation and inflammation

Skin The material is not a primary irritant, but as with any abrasive powder it

may give rise to minor irritation

4. First Aid Measures

Inhalation Remove patient to fresh air, loosen tight clothing and seek medical

attention

IngestionDo not induce vomiting, seek medical adviceEyesWash immediately with copious amounts of water

Skin Wash affected areas with water

5. Fire Fighting Hazards

Extinguishing Media Suitable for surrounding fire conditions

Special Exposure hazard No

Personal protective equipment None other than required for surrounding fire conditions



6. Accidental Release Measure

Leaks & Spills

Use suitable vacuum equipment where reasonably practicable,

otherwise damp down and scoop into a receptacle

Personal protective equipment Respiratory protective equipment

7. Handling & Storage

Handling Do not eat, drink, or smoke in areas where the material is used.

Wash thoroughly after handling the material

Storage Store in dry area

8. Exposure Control/Personal Protection

Engineering controls

Adequate ventilation should be provided so that Occupational

Exposure Limits are not exceeded. Local Exhaust Ventilation is

normally recommended

Personal protective equipment Where LEV is not practicable and exposure is likely to be

excessive, approved respiratory protection to CEN standards prEN 140, 141, 143 or 149 should be worn. Protective gloves and

overalls are recommended for prolonged contact.

9. Physical & Chemical Properties

Appearance & OdourPowder, odourlessFlash point (°C)Not applicableFlammabilityNot applicableExplosive propertiesNon-explosive

Oxidising properties None Specific gravity 3-5

pH value 7 (insoluble in water)

Melting point (°C) Not available

10. Stability & Reactivity

Chemical stability The material is stable

Conditions/materials to avoid

Hazardous decomposition products

None known

None known

None known

None



11. Toxicological Information

Acute toxicology

Health effects Prolonged or repeated exposure above Occupational Standards may

cause fibrosis of the lungs

12. Ecological Information

Ecotoxicity	Non known
Persistence	Not known

13. Disposal Considerations

Dispose in accordance with current waste Disposal regulations (for UK - Control of Pollution (Special Waste) Regulations 1980). Landfill is the most appropriate method.

14. Transport Information

U.N. / S.I. No.:		Not classified
U.N. Class:		Not classified
Packing group:		Not classified
Road:	UK:	Not classified
	ADR:	Not classified
Sea:	IMO:	Not classified
Air:	ICAO:	Not classified

15. Regulatory Information

EC Supply Labelling None requires by directive 88/379/EEC and subsequent amendments

R-Phrases None S-Phrases None

UK Occupational exposures limits (refer to HSE Guidance note EH40)	Mg/m³ 8 hr TWA	% in product
Dusts total inhalable	10	-
Dusts total respirable	5	-

In accordance with HSE Approved Code of Practice for CHIP, the recipient is reminded of their obligations under both the Health and Safety at Work Act (HSWA) and the Control of Substances Hazardous to Health Regulations (COSHH), and that the information in any safety data sheet does not constitutes the user's assessment of workplace risk



16. Other Information

COSHH ACOP	HSC approved Code of Practice for the Control of Substances Hazardous to Health Regulations 1994
CHIP 96	Chemicals (Hazard Information and Packaging for Supply) Regulations 1996
CHIP SDS ACOPS	HSC Approved Code of Practice for Safety data Sheets in accordance with regulation 6 of the CHIP regulations
HSE EH40	HSE Guidance note EH40 on Occupational Exposure Limits to be used in conjunction with the COSH regulations